

Contents:
The Journal of Cell Biology
Volume 123, Number 6, Part 1, December 1993

Mini-review

- 1305 **The erythropoietin receptor: Its role in hematopoiesis and myeloproliferative diseases.**

G. D. Longmore, S. S. Watowich, D. J. Hilton, and H. F. Lodish

Regular Articles

- 1309 **Eukaryotic initiation factor 5A is a cellular target of the human immunodeficiency virus type 1 Rev activation domain mediating trans-activation.**

M. Ruhl, M. Himmelspach, G. M. Bahr, F. Hammerschmid, H. Jaksche, B. Wolff, H. Aschauer, G. K. Farrington, H. Probst, D. Bevec, and J. Hauber

- 1321 **Determination of initiation of DNA replication before and after nuclear formation in *Xenopus* egg cell free extracts.**

Y. Kubota and H. Takisawa

- 1333 **Intranuclear filaments containing a nuclear pore complex protein.**

V. C. Cordes, S. Reidenbach, A. Köhler, N. Stuurman, R. van Driel, and W. W. Franke

- 1345 **Nup180, a novel nuclear pore complex protein localizing to the cytoplasmic ring and associated fibrils.**

N. Wilken, U. Kossner, J.-L. Senécal, U. Scheer, and M.-C. Dabauvalle

- 1355 **A sec63p-BiP complex from yeast is required for protein translocation in a reconstituted proteoliposome.**

J. L. Brodsky and R. Schekman

- 1365 **Hydrolysis of bound GTP by ARF protein triggers uncoating of Golgi-derived COP-coated vesicles.**

G. Tanigawa, L. Orc, M. Amherdt, M. Ravazzola, J. B. Helms, and J. E. Rothman

- 1373 **Cytoplasmic dynein-dependent vesicular transport from early to late endosomes.**

F. Aniento, N. Emans, G. Griffiths, and J. Gruenberg

- 1389 **β -very low density lipoprotein is sequestered in surface-connected tubules in mouse peritoneal macrophages.**

J. N. Myers, I. Tabas, N. L. Jones, and F. R. Maxfield

- 1403 **Retrograde lipid traffic in yeast: Identification of two distinct pathways for internalization of fluorescent-labeled phosphatidylcholine from the plasma membrane.**

L. S. Kean, R. S. Fuller, and J. W. Nichols

- 1421 **Mechanisms of urinary K^+ and H^+ excretion: Primary structure and functional expression of a novel, H,K-ATPase.**

F. Jaisser, J.-D. Horisberger, K. Geering, and B. C. Rossier

- 1431 **Egg cortical granule *N*-acetylglucosaminidase is required for the mouse zona block to polyspermy.**

D. J. Miller, X. Gong, G. Decker, and B. D. Shur

- 1441 **Olfactory receptors are displayed on dog mature sperm cells.**

P. Vanderhaeghen, S. Schurmans, G. Vassart, and M. Parmentier

- 1453 **Non-chemotactic *Dictyostelium discoideum* mutants with altered cGMP signal transduction.**

H. Kuwayama, S. Ishida, and P. J. M. Van Haastert

- 1463 **440-kD ankyrin β : Structure of the major developmentally regulated domain and selective localization in unmyelinated axons.**

W. Chan, E. Kordeli, and V. Bennett

- 1475 **Interpolar spindle microtubules in PTK cells.**

D. N. Mastronarde, K. L. McDonald, R. Ding, and J. R. McIntosh

- 1491 **Regulated docking of nuclear membrane vesicles to vimentin filaments during mitosis.**

C. Maison, H. Horstmann, and S. D. Georgatos

- 1507 **The 47-kD lens-specific protein phakinin is a tailless intermediate filament protein and an assembly partner of filensin.**

A. Merdes, F. Gounari, and S. D. Georgatos

- 1517 **The rod domain of NF-L determines neurofilament architecture, whereas the end domains specify filament assembly and network formation.**

S. Heins, P. C. Wong, S. Müller, K. Goldie, D. W. Cleveland, and U. Aebi

Contents continued

Cover picture: H,K-ATPase acidification assay in *Xenopus* oocytes, presented as a smiling clown. The "yellow eye" represents an oocyte injected with H,K-ATPase $\alpha\beta$ subunit cRNAs and incubated for 10 min under mineral oil in a 1- μ l droplet of red phenol-dyed solution; the pH of the surrounding solution is \sim 6, according to the "standard curve" represented by the "nose" and the "mouth" of the clown. As a control, a Na,K-ATPase $\alpha\beta$ subunit cRNA-injected oocyte "red eye" does not acidify. Happy New Year! See related article in this issue by Jaisser et al., 1421-1429.

- 1535 **Neural regulation of muscle acetylcholine receptor ϵ - and α -subunit gene promoters in transgenic mice.**
K. Gundersen, J. R. Sanes, and J. P. Merlie
- 1545 **Targeted expression of a conditional oncogene in hematopoietic cells of transgenic mice.**
K. Ravid, Y. C. Li, H. B. Rayburn, and R. D. Rosenberg
- 1555 **Ectopic *trkA* expression mediates a NGF survival response in NGF-independent sensory neurons but not in parasympathetic neurons.**
T. E. Allsopp, M. Robinson, S. Wyatt, and A. M. Davies
- 1567 **IGF-I is a mitogen involved in differentiation-related gene expression in fetal rat brown adipocytes.**
M. Lorenzo, A. M. Valverde, T. Teruel, and M. Benito
- 1577 **Multiple levels of control of the stage- and region-specific expression of rat intestinal lactase.**
I. Duluc, B. Jost, and J.-N. Freund
- 1587 **Differential effects of over-expressed neural cell adhesion molecule isoforms on myoblast fusion.**
D. Peck and F. S. Walsh
- 1597 **β_2 integrin engagement triggers actin polymerization and phosphatidylinositol trisphosphate formation in non-adherent human neutrophils.**
R. Löfgren, J. Ng-Sikorski, A. Sjolander, and T. Andersson
- 1607 **Targeted deletion of $\beta 1$ integrins in F9 embryonal carcinoma cells affects morphological differentiation but not tissue-specific gene expression.**
L. E. Stephens, J. E. Sonne, M. L. Fitzgerald, and C. H. Damsky
- 1621 **ADDITIONS AND CORRECTIONS**
- 1623 **ADDITIONS AND CORRECTIONS**
- 1625 **ADDITIONS AND CORRECTIONS**

Contents:
The Journal of Cell Biology
Volume 123, Number 6, Part 2, December 1993

- Mini-review*
- 1631 **Breaking through the tight junction barrier.**
B. Gumbiner
- Regular Articles*
- 1635 **SMCI: An essential yeast gene encoding a putative head-rod-tail protein is required for nuclear division and defines a new ubiquitous protein family.**
A. V. Strunnikov, V. L. Larionov, and D. Koshland
- 1649 **Inhibition of nuclear protein import by nonhydrolyzable analogues of GTP and identification of the small GTPase Ran/TC4 as an essential transport factor.**
F. Melchior, B. Paschal, J. Evans, and L. Gerace
- 1661 **The role of CaaX-dependent modifications in membrane association of *Xenopus* nuclear lamin B3 during meiosis and the fate of B3 in transfected mitotic cells.**
I. Firmbach-Kraft and R. Stick
- 1671 **Lamin B distribution and association with peripheral chromatin revealed by optical sectioning and electron microscopy tomography.**
A. S. Belmont, Y. Zhai, and A. Thilenius
- 1687 **Glut2 surface expression and intracellular transport via the constitutive pathway in pancreatic β cells and insulinoma: Evidence for a block in trans-Golgi network exit by brefeldin A.**
B. Thorens, N. Gérard, and N. Dériaz
- 1695 **Intracellular routing of GLcNAc-bearing molecules in thyrocytes: Selective recycling through the Golgi apparatus.**
R. Miquelis, J. Courageot, A. Jacq, O. Blanck, C. Perrin, and P. Bastiani
- 1707 **Clathrin facilitates the internalization of seven transmembrane segment receptors for mating pheromones in yeast.**
P. K. Tan, N. G. Davis, G. F. Sprague, and G. S. Payne
- 1717 **In vitro insertion of the 22-kD peroxisomal membrane protein into isolated rat liver peroxisomes.**
P. Diestelkötter and W. W. Just
- 1727 **ζ -COP, a subunit of coatamer, is required for COP-coated vesicle assembly.**
O. Kuge, S. Hara-Kuge, L. Orci, M. Ravazzola, M. Amherdt, G. Tanigawa, F. T. Wieland, and J. E. Rothman
- 1735 **Two pathways for the degradation of the H2 subunit of the asialoglycoprotein receptor in the endoplasmic reticulum.**
M. H. Yuk and H. F. Lodish
- 1751 **Role of the transmembrane and extracytoplasmic domain of β subunits in subunit assembly, intracellular transport, and functional expression of Na,K-pumps.**
P. Jaunin, F. Jaisser, A. T. Beggah, K. Takeyasu, P. Mangeat, B. C. Rossier, J.-D. Horisberger, and K. Geering
- 1761 **WIF-B cells: An in vitro model for studies of hepatocyte polarity.**
G. Ihrke, E. B. Neufeld, T. Meads, M. R. Shanks, D. Cassio, M. Laurent, T. A. Schroer, R. E. Pagano, and A. L. Hubbard
- 1777 **Occludin: A novel integral membrane protein localizing at tight junctions.**
M. Furuse, T. Hirase, M. Itoh, A. Nagafuchi, S. Yonemura, Sa. Tsukita, and Sh. Tsukita
- 1789 **Activation of actin polymerization by phosphatidic acid derived from phosphatidylcholine in IIC9 fibroblasts.**
K.-S. Ha and J. H. Exton
- 1797 **Cell shape and interaction defects in α -spectrin mutants of *Drosophila melanogaster*.**
J. K. Lee, R. S. Coyne, R. R. Dubreuil, L. S. B. Goldstein, and D. Branton
- 1811 **Microtubule-dependent control of cell shape and pseudopodial activity is inhibited by the antibody to kinesin motor domain.**
V. I. Rodionov, F. K. Gyoeva, E. Tanaka, A. D. Bershinsky, J. M. Vasiliev, and V. I. Gelfand
- 1821 **The *SLT2* (*MPK1*) MAP kinase homolog is involved in polarized cell growth in *Saccharomyces cerevisiae*.**
C. Mazzoni, P. Zarzov, A. Rambourg, and C. Mann
- 1835 **Nerve growth factor regulates the abundance and distribution of K^+ channels in PC12 cells.**
N. Sharma, G. D'Arcangelo, A. Kleinklaus, S. Halegoua, and J. S. Trimmer

Contents continued

Cover picture: Visualization of bile canalicular spaces that are formed by the apical plasma membrane domains of adjacent cells in a hepatocyte-like cell line (WIF-B). Confocal double-immunofluorescence for an apical plasma membrane protein (HA-4) (*light blue*, single section) and the tight-junctional protein (ZO-1) (*red*, *z* series) that surrounds the bile canalicular spaces like a "belt" at the border between apical and basolateral domains. See related article by Ihrke et al., 1761-1775.

- 1845 **Interactions of synapsin I with phospholipids: Possible role in synaptic vesicle clustering and in the maintenance of bilayer structures.**
F. Benfenati, F. Valtorta, M. C. Rossi, F. Onofri, T. Sihra, and P. Greengard
- 1857 **Expression of *Wnt-1* in PC12 cells results in modulation of plakoglobin and E-cadherin and increased cellular adhesion.**
R. S. Bradley, P. Cowin, and A. M. C. Brown
- 1867 **Regulation and activity-dependence of N-cadherin, NCAM isoforms, and polysialic acid on chick myotubes during development.**
B. Fredette, U. Rutishauser, and L. Landmesser
- 1889 **Interferon- α induces the expression of the L-selectin homing receptor in human B lymphoid cells.**
S. S. Evans, R. P. Collea, M. M. Appenheimer, and S. O. Gollnick
- 1899 **The dynamic structure of the pericellular matrix on living cells.**
G. M. Lee, B. Johnstone, K. Jacobson, and B. Caterson
- 1909 **ADDITIONS AND CORRECTIONS**
- 1911 **AUTHOR INDEX FOR VOLUMES 120-123**
- 1939 **SUBJECT INDEX FOR VOLUMES 120-123**
- 1959 **ACKNOWLEDGMENT**