

Contents:

The Journal of Cell Biology

Volume 133, Number 4, May 1996

- 719 **Intron-dependent recruitment of pre-mRNA splicing factors to sites of transcription.**
S. Huang and D.L. Spector
- 733 **The ion channel activity of the influenza virus M₂ protein affects transport through the Golgi apparatus.**
T. Sakaguchi, G.P. Leser, and R.A. Lamb
- 749 **A novel adaptor-related protein complex.**
F. Simpson, N.A. Bright, M.A. West, L.S. Newman, R.B. Darnell, and M.S. Robinson
- 761 **Association of a dynamin-like protein with the Golgi apparatus in mammalian cells.**
J.R. Henley and M.A. McNiven
- 777 **Transport of an external Lys-Asp-Glu-Leu (KDEL) protein from the plasma membrane to the endoplasmic reticulum: Studies with cholera toxin in vero cells.**
I.V. Majoul, P.I.H. Bastiaens, and H.-D. Söling
- 791 **Endocytosis of GPI-anchored proteins in human lymphocytes: Role of glycolipid-based domains, actin cytoskeleton, and protein kinases.**
M. Deckert, M. Ticchioni, and A. Bernard
- 801 **Oligomeric and subunit structure of the *Helicobacter pylori* vacuolating cytotoxin.**
P. Lupetti, J.E. Heuser, R. Manetti, P. Massari, S. Lanzavecchia, P.L. Bellon, R. Dallai, R. Rappuoli, and J.L. Telford
- 809 **The sea urchin sperm receptor for egg jelly is a modular protein with extensive homology to the human polycystic kidney disease protein, PKD1.**
G.W. Moy, L.M. Mendoza, J.R. Schulz, W.J. Swanson, C.G. Glabe, and V.D. Vacquier
- 819 **Identification of a small cytoplasmic ankyrin (Ank_{G119}) in the kidney and muscle that binds β1Σ* spectrin and associates with the Golgi apparatus.**
P. Devarajan, P.R. Stabach, A.S. Mann, T. Ardito, M. Kashgarian, and J.S. Morrow
- 831 **Mammalian cells express three distinct dynein heavy chains that are localized to different cytoplasmic organelles.**
E.A. Vaisberg, P.M. Grissom, and J.R. McIntosh
- 843 **Distinct cellular and subcellular patterns of expression imply distinct functions for the *Drosophila* homologues of moesin and the neurofibromatosis 2 tumor suppressor, merlin.**
B.M. McCartney and R.G. Fehon
- 853 **Disrupted glial fibrillary acidic protein network in astrocytes from vimentin knockout mice.**
M. Galou, E. Colucci-Guyon, D. Ensergueix, J.-L. Ridet, M. Gimenez y Ribotta, A. Privat, C. Babinet, and P. Dupouey
- 865 **Yeast *src* homology region 3 domain-binding proteins involved in bud formation.**
Y. Matsui, R. Matsui, R. Akada, and A. Toh-e
- 879 **Associations among PH and SH3 domain-containing proteins and Rho-type GTPases in yeast.**
L. Bender, H.S. Lo, H. Lee, V. Kokojan, J. Peterson, and A. Bender
- 895 **Deficiency of Src family kinases p59/61^{hck} and p58^{c-fgr} results in defective adhesion-dependent neutrophil functions.**
C.A. Lowell, L. Fumagalli, and G. Berton
- 911 **The fucosyltransferase FucT-VII regulates E-selectin ligand synthesis in human T-cells.**
R.N. Knibbs, R.A. Craig, S. Natsuka, A. Chang, M. Cameron, J.B. Lowe, and L.M. Stoolman
- 921 **Inactivation of the integrin β6 subunit gene reveals a role of epithelial integrins in regulating inflammation in the lungs and skin.**
X.-Z. Huang, J.F. Wu, D. Cass, D.J. Erle, D. Corry, S.G. Young, R.V. Farese, Jr., and D. Sheppard

Cover picture: Confocal micrograph of a developing egg chamber stained to show the *Drosophila* homologue of merlin, the NF2 tumor-suppressor (*red*), and the related ERM family member Dmoesin (*green*). See related article in this issue by McCartney and Fehon, 843–852.